Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

Patent No. /

Inventor(s) James L.

Issued :Novemb

:James L. Filson, et al. :November 16, 2004

Title

:ION EXCHANGE REMOVAL OF METAL IONS FROM WASTEWATER

Doc./File No.: WO484-700740

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction and a corrected patent under the provisions of Rule 1.322.

A petition under C.F.R. 1.182 is required to correct the alleged error concerning in which the inventors names appear on the Letters Patent since the inventors names are printed solely in accordance with the typed/printed names as they appear on the Oath/Declaration and/or Application data sheet. Therefore, no correction is in order here under the provisions of Rule 1.322 or 1.323.

In view of the forgoing, applicants request in this matter is hereby denied.

Any petition under 37 CFR 1.182 (required fee currently \$130) should be directed to the attention of the Assistant Commissioner for Patents, using the following mailing address or FAX number.

By Mail:

Commissioner of Patents and Trademarks

Mail Stop: Petitions Alexandria, VA 22313

By Fax:

(703) 308-6916

Attn.: Office of Petitions

If the petition under 37 CFR 1.183 is filed and granted the patentee would be entitled to a certificate of correction under 37 CFR 1.323 (required fee currently \$100), due to the mistake in not complying with CFR 3.81.

A certificate of correction will issue to correct the remaining error noted in applicants request. Further correspondence concerning this matter should be filed and directed to Decisions and Certificates of

Correction Branch. Any telephone inquiry concerning this communication should be directed to Ms. A. Green at (703) 305-8740.

Cecelia Newman/HCE. Cron
Decisions & Certificates
of Correction
(703) 305-8309 or (703) 305-8740

Elias Domingo, Lowrie, Lando & Anastasi, LLP Riverfront Office Park One Main Street Cambridge, MA 02142

CBN/arg